



COLORADO METROPOLITAN CERTIFICATION BOARD

PERFORMANCE EVALUATION SHEETS Fire Fighter II

Student Edition

Revised December 2013

Based on the National Fire Protective Association
Standard 1001 Edition 2013

Copyright 2000 by the Colorado Metropolitan Certification Board.
All rights reserved. No part may be reproduced without the express written
permission of the Colorado Metropolitan Certification Board

COLORADO METROPOLITAN CERTIFICATION BOARD

Firefighter II Evaluation Sheets *Individual Skills*

**Rescue Operations
Fireground Operations
Prevention, Preparedness, and Maintenance**

COLORADO METROPOLITAN CERTIFICATION BOARD

Firefighter II **Individual Skills** *Rescue Operations*

Operate a Hydraulic Rescue Tool.....	RO-1
Displace Vehicle Door with Hydraulic Spreaders.....	RO-2
Displace Vehicle Roof with Hydraulic Cutters or Sawzall.....	RO-3
Displace Vehicle Steering Column/Dashboard with Appropriate Tool.....	RO-4
Displace Windshield Using an Axe or Sawzall.....	RO-5
Use Ratchet Device (Come-Along or High-Lift Jack).....	RO-6
Use Cribbing Blocks.....	RO-7
Use Air Bags.....	RO-8
Assist at a Technical Rescue.....	RO-9

**Colorado Metropolitan Certification Board
Fire Fighter II
Skill Performance Evaluation**

Objectives: NFPA 1001 6.4.1 (2013 edition)		Sheet Number: RO-1	
Primary Tasks: Operate a Hydraulic Rescue Tool			
Candidate Performance			Fail
While wearing full PPE, selects tool to be used (spreaders, cutters, rams, or combination spreader/cutters).			
Attaches hydraulic lines to hydraulic generator and tool.			
Starts engine.			
Operates tool and safely cuts or spreads as needed.			
Verbalizes potential safety hazards.			
Completes evolution and exits hazardous area.			
		Pass	Fail
Overall Results (must pass ALL steps)			
Evaluator Comments			
Location:	Date:	ID Number:	
Candidate (Print):		Candidate (Sign):	
Evaluator (Print):		Evaluator (Sign):	

**Colorado Metropolitan Certification Board
Fire Fighter II
Skill Performance Evaluation**

Objectives: NFPA 1001 6.4.1 (2013 edition)		Sheet Number: RO-2	
Primary Tasks: Displace Vehicle Door with Hydraulic Spreaders			
Candidate Performance			Fail
While wearing full PPE, ensures vehicle is stable.			
Ensures patient(s) is/are protected/covered.			
Checks door for normal operation.			
Assembles hydraulic generator and tools, and clears area of unnecessary personnel.			
Verbalizes potential safety hazards.			
Removes door glass if necessary.			
Creates purchase point with tips of spreaders or hand tool.			
Inserts spreader tips to spread door at latch or hinges.			
Displaces door.			
Ensures victim safety throughout evolution.			
Completes evolution and exits hazardous area.			
		Pass	Fail
Overall Results (must pass ALL steps)			
Evaluator Comments			
Location:	Date:	ID Number:	
Candidate (Print):		Candidate (Sign):	
Evaluator (Print):		Evaluator (Sign):	

**Colorado Metropolitan Certification Board
Fire Fighter II
Skill Performance Evaluation**

Objectives: NFPA 1001 6.4.1 (2013 edition)		Sheet Number: RO-3	
Primary Tasks: Displace Vehicle Roof with Hydraulic Cutters or Sawzall			
Candidate Performance			Fail
While wearing full PPE, ensures vehicle is stable.			
Ensures patient(s) is/are protected/covered.			
Assembles hydraulic/electric generator and tools, and clears area of unnecessary personnel.			
Verbalizes potential safety hazards.			
Ensures roof is supported when roof supports are cut.			
Uses cutters or sawzall to cut each roof support and lifts roof off vehicle with assistance from other firefighters.			
Ensures victim safety throughout evolution.			
Completes evolution and exits hazardous area.			
		Pass	Fail
Overall Results (must pass ALL steps)			
Evaluator Comments			
Location:	Date:	ID Number:	
Candidate (Print):		Candidate (Sign):	
Evaluator (Print):		Evaluator (Sign):	

**Colorado Metropolitan Certification Board
Fire Fighter II
Skill Performance Evaluation**

Objectives: NFPA 1001 6.4.1 (2013 edition)		Sheet Number: RO-4	
Primary Tasks: Displace Vehicle Steering Column/Dashboard with Appropriate Tool			
Candidate Performance			Fail
While wearing full PPE, ensures vehicle is stable.			
Ensures patient(s) is/are protected/covered.			
Assembles hydraulic generator and tools, and clears area of unnecessary personnel.			
Verbalizes potential safety hazards.			
With vehicle door removed or open, uses hydraulic cutters to make pie-shaped "relief cut" in left front quarter panel.			
Inserts appropriate tool in secure position in doorframe at base of "B" post and under dashboard on "A" post.			
Operates appropriate tool to displace dashboard and steering column.			
Ensures victim safety throughout evolution.			
Completes evolution and exits hazardous area.			
		Pass	Fail
Overall Results (must pass ALL steps)			
Evaluator Comments			
Location:	Date:	ID Number:	
Candidate (Print):		Candidate (Sign):	
Evaluator (Print):		Evaluator (Sign):	

**Colorado Metropolitan Certification Board
Fire Fighter II
Skill Performance Evaluation**

Objectives: NFPA 1001 6.4.1 (2013 edition)		Sheet Number: RO-5	
Primary Tasks: Displace Windshield Using an Axe or Sawzall			
Candidate Performance			Fail
While wearing full PPE, ensures vehicle is stable.			
Ensures patient(s) is/are protected/covered.			
Positions on side of vehicle near windshield.			
Verbalizes potential safety hazards.			
Utilizing an Axe- Uses short chopping strokes, begins at center/top of windshield, and cuts top, side, and approximately 1/3 the way across windshield bottom.			
Utilizing a Sawzall- Makes a purchase point with the pick of an appropriate tool (if necessary) in the upper corner of windshield: Cuts side, bottom & top to half-way point and then moves to the other side of the vehicle to complete cut.			
Utilizes assistance to support windshield.			
Moves to other side of vehicle and repeats previous cuts.			
With assistance, pulls windshield from bottom trim and places in safe location.			
Ensures victim safety throughout evolution.			
Completes evolution and exits hazardous area.			
			Pass
			Fail
Overall Results (must pass ALL steps)			
Evaluator Comments			
Location:		Date:	
Candidate (Print):		Candidate (Sign):	
Evaluator (Print):		Evaluator (Sign):	

**Colorado Metropolitan Certification Board
Fire Fighter II
Skill Performance Evaluation**

Objectives: NFPA 1001 6.4.1 (2013 edition)		Sheet Number: RO-6	
Primary Tasks: Use Ratchet Device (Come-Along or High-Lift Jack)			
Candidate Performance			Fail
While wearing full PPE, ensures vehicle is stable.			
Ensures patient(s) is/are protected/covered.			
Verbalizes potential safety hazards.			
Come-Along:			
Attaches drum/lever end to stationary object.			
Attaches cable to object to be moved.			
Sets drum latch in "pull" position.			
Operates lever ratchet to pull object.			
Resets drum latch in "release" position when job completed.			
Operates lever ratchet to release tension.			
Un-attaches come-along from stationary and moved object.			
High-Lift Jack:			
Securely chocks and stabilizes the load to prevent rolling or shifting when lifting.			
Base plate is on a firm, level and dry surface with the steel standard bar in the full-vertical position.			
Lifts the reversing latch until it locks in the up position to raise, lowers the reversing latch to lower.			
Controls the handle at all times. The firefighter can only release hold of the handle when it is in the full vertical position.			
Only the firefighter's hands are allowed to be in the travel path of the High-lift handle while under a load to prevent injury.			
Performs the reverse procedure to lower load.			
Ensures victim safety throughout evolution.			
Completes evolution and exits hazardous area.			
		Pass	Fail
Overall Results (must pass ALL steps)			
Evaluator Comments			
Location:	Date:	ID Number:	
Candidate (Print):		Candidate (Sign):	
Evaluator (Print):		Evaluator (Sign):	

**Colorado Metropolitan Certification Board
Fire Fighter II
Skill Performance Evaluation**

Objectives: NFPA 1001 6.4.1 (2013 edition)		Sheet Number: RO-7	
Primary Tasks: Use Cribbing Blocks			
Candidate Performance			Fail
While wearing full PPE.			
Verbalizes potential safety hazards.			
At all times, ensures hands and arms are not placed underneath hazard(s).			
Arranges cribbing blocks in crate-like manner with two or more blocks laid side by side.			
Lays two or more blocks on top of and perpendicular to the first two blocks of the blocks underneath.			
Repeats previous two steps until desired height is reached.			
Uses shims and/or wedges to wedge between the top blocks and the object being stabilized.			
Completes evolution and exits hazardous area.			
		Pass	Fail
Overall Results (must pass ALL steps)			
Evaluator Comments			
Location:	Date:	ID Number:	
Candidate (Print):		Candidate (Sign):	
Evaluator (Print):		Evaluator (Sign):	

**Colorado Metropolitan Certification Board
Fire Fighter II
Skill Performance Evaluation**

Objectives: NFPA 1001 6.4.1 (2013 edition)		Sheet Number: RO-8	
Primary Tasks: Use Air Bags			
Candidate Performance			Fail
While wearing full PPE.			
Verbalizes potential safety hazards.			
Attaches regulator to air cylinder.			
Attaches hose from regulator to air bag.			
Closes bleed valve.			
Verbalizes awareness of possible hazards (sharp objects, metal, nails, hot objects).			
Opens valve on regulator and fills bag slowly.			
Fills bag to proper pressure/height.			
Shores with cribbing if possible.			
If object(s) shored, bleed pressure from bag and remove, otherwise leave bag in position.			
Completes evolution and exits hazardous area.			
		Pass	Fail
Overall Results (must pass ALL steps)			
Evaluator Comments			
Location:	Date:	ID Number:	
Candidate (Print):		Candidate (Sign):	
Evaluator (Print):		Evaluator (Sign):	

**Colorado Metropolitan Certification Board
Fire Fighter II
Skill Performance Evaluation**

Objectives: NFPA 1001 6.4.2 (2013 edition)		Sheet Number: RO-9	
Primary Tasks: Assist at a Technical Rescue – High-Angle, Trench, Confined Space, Water, Ice, Elevator, Escalator and Industrial Emergencies.			
Candidate Performance			Fail
While wearing appropriate PPE.			
Identifies safety hazards.			
Creates safe work area for emergency personnel.			
Identifies and retrieves appropriate tools and equipment for technical rescuers.			
Assists rescuers as needed.			
Exits hazardous area.			
		Pass	Fail
Overall Results (must pass ALL steps)			
Evaluator Comments			
Location:		Date:	
Candidate (Print):		Candidate (Sign):	
Evaluator (Print):		Evaluator (Sign):	

COLORADO METROPOLITAN CERTIFICATION BOARD

Firefighter II Individual Skills *Fireground Operations*

Assemble and Operate Foam Equipment.....	FG-1
Fire Attack – Interior (scenario coordination)	FG-2
Protect Evidence of Fire Cause and Origin.....	FG-3

**Colorado Metropolitan Certification Board
Fire Fighter II
Skill Performance Evaluation**

Objectives: NFPA 1001 6.3.1 (2013 edition)		Sheet Number: FG-1	
Primary Tasks: Assemble and Operate Foam Equipment			
Candidate Performance			Fail
While wearing appropriate PPE.			
Checks eductor and nozzle to ensure they are rated for same GPM flow.			
Sets foam eductor for same percentage rating as indicated on foam container.			
Selects and attaches hoseline to apparatus discharge and eductor intake. Selects and attaches hoseline with nozzle to eductor discharge.			
Ensures nozzle is not more than 300' from eductor for 1¾" hoseline (150' for 1 ½" hoseline) or follows specific equipment guidelines.			
Places eductor intake into foam concentrate container.			
Charges hoseline and operates nozzle while flowing correct foam stream. Troubleshoots as needed.			
		Pass	Fail
Overall Results (must pass ALL steps)			
Evaluator Comments			
Location:	Date:	ID Number:	
Candidate (Print):		Candidate (Sign):	
Evaluator (Print):		Evaluator (Sign):	

**Colorado Metropolitan Certification Board
Fire Fighter II
Skill Performance Evaluation**

Objectives: NFPA 1001 5.2.1, 6.1.2, 6.2.2, 6.3.2, (2013 edition)		Sheet Number: FG-2	
Primary Tasks: Fire Attack – Interior (scenario coordination)			
Candidate Performance			Fail
Initiates and coordinates an interior attack:			
Implements accountability system prior to entering building.			
Selects and communicates appropriate attack technique for fires at, above, or below grade.			
Communicates team needs based on the following conditions/variables (follows departmental SOP's if applicable). <ul style="list-style-type: none"> • Fire growth and development. • Search and rescue requirements. • Ventilation needs. • Hazards. 			
Makes appropriate tactical adjustments to changing conditions.			
Communicates as needed with Incident Commander.			
		Pass	Fail
Overall Results (must pass ALL steps)			
Evaluator Comments			
Location:	Date:	ID Number:	
Candidate (Print):		Candidate (Sign):	
Evaluator (Print):		Evaluator (Sign):	

**Colorado Metropolitan Certification Board
Fire Fighter II
Skill Performance Evaluation**

Objectives: NFPA 1001 6.3.4 (2013 edition)		Sheet Number: FG-3	
Primary Tasks: Protect Evidence of Fire Cause and Origin			
Candidate Performance			Fail
While wearing full PPE.			
Observes and notes any conditions that may indicate cause, origin, or signs of an incendiary fire.			
Ensures scene is not contaminated while operating power tools, hose lines, or other equipment.			
Protects and preserves all evidence from further disturbance until investigators arrive on scene.			
Denies anyone entry to fire scene without investigator's or Incident Commander's permission.			
Makes a log of personnel entering the scene documenting the following; name, time of entry, time of departure, and description of items removed from scene (if any).			
Secures and protects premises at all times.			
		Pass	Fail
Overall Results (must pass ALL steps)			
Evaluator Comments			
Location:	Date:	ID Number:	
Candidate (Print):		Candidate (Sign):	
Evaluator (Print):		Evaluator (Sign):	

COLORADO METROPOLITAN CERTIFICATION BOARD

Firefighter II Individual Skills *Prevention, Preparedness, & Maintenance*

Perform a Fire Safety Survey in an Occupied Structure.....	PPM-1
Prepare a Pre-incident Survey at a Commercial Occupancy	PPM-2
Complete a Basic Fire Incident Report.....	PPM-3
Prepare and Present a 10-Minute Program to an Audience	PPM-4
Perform Annual Service Test on Fire Hose	PPM-5
Maintain Power Plants, Power Tools, and Extrication Equipment.....	PPM-6

**Colorado Metropolitan Certification Board
Fire Fighter II
Skill Performance Evaluation**

Objectives: NFPA 1001 6.5.1 (2013 edition)		Sheet Number: PPM-1	
Primary Tasks: Perform a Fire Safety Survey in an Occupied Structure.			
Candidate Performance			Fail
Performs a fire safety survey in a private dwelling and identifies the following. <ul style="list-style-type: none"> • General housekeeping • Hazardous materials storage • Location and presence of smoke and CO alarms • Location and presence of fire extinguisher(s) • Utility shut-offs and proper clearance • Fire escape plan • General concerns or other life safety considerations 			
Effectively communicates recommendations based on departmental SOP's and industry standards			
Completes documentation per departmental policy and attaches to this JPR.			
		Pass	Fail
Overall Results (must pass ALL steps)			
Evaluator Comments			
Location:	Date:	ID Number:	
Candidate (Print):		Candidate (Sign):	
Evaluator (Print):		Evaluator (Sign):	

**Colorado Metropolitan Certification Board
Fire Fighter II
Skill Performance Evaluation**

Objectives: NFPA 1001 6.5.3 (2013 edition)		Sheet Number: PPM-2	
Primary Tasks: Prepare a Pre-incident Survey at a Commercial Occupancy			
Candidate Performance			Fail
Prepares a pre-incident survey in accordance with departmental SOP's, so that all pertinent occupancy information is recorded: <ul style="list-style-type: none"> • Construction type • Occupancy type • Building plot plan • Roadway access • Hydrant location(s) • Fire notification and suppression features • Utility control location(s) • General housekeeping • Hazardous material storage • Special processes • General concerns or other life safety considerations 			
Prepares accurate sketches and/or diagrams.			
Completes documentation per departmental policy and attaches to this JPR.			
		Pass	Fail
Overall Results (must pass ALL steps)			
Evaluator Comments			
Location:	Date:	ID Number:	
Candidate (Print):		Candidate (Sign):	
Evaluator (Print):		Evaluator (Sign):	

**Colorado Metropolitan Certification Board
Fire Fighter II
Skill Performance Evaluation**


Objectives: NFPA 1001 6.5.2 (2013 edition)	Sheet Number: PPM-4	
Primary Tasks: Prepare and Present a 10-Minute Program to an Audience		
Candidate Performance		
<i>Assign one of the following topics</i>		
<ul style="list-style-type: none"> • Stop, drop and roll • Crawl low in smoke • Escape planning • Calling the fire department • Fire station tour • Residential smoke detector placement and maintenance • Other public fire education program 		
	Fail	
Greets class and introduces self.		
Introduces the topic.		
Presents the topic.		
Reviews major points.		
Answers questions.		
Hands out reading material on subject.		
Documents the following, and places in participants training record:		
<ul style="list-style-type: none"> • Name of program • Name of presenter • Date of program • Location • Number in attendance • Subject presented • Evaluation and comments 		
	Pass	Fail
Overall Results (must pass ALL steps)		
Evaluator Comments (on back of sheet)		
Location:	Date:	ID Number:
Candidate (Print):		Candidate (Sign):
Evaluator (Print):		Evaluator (Sign):

**Colorado Metropolitan Certification Board
Fire Fighter II
Skill Performance Evaluation**

Objectives: NFPA 1001 6.5.5 (2013 edition)		Sheet Number: PPM-5	
Primary Tasks: Perform Annual Service Test on Fire Hose			
Candidate Performance			Fail
While wearing appropriate PPE.			
Connects a maximum of 300' of hose per discharge.			
Checks for hose gasket when making each connection to discharge.			
Attaches shut-off nozzle or control valve to open hose end.			
Marks all sections of hose behind coupling using chalk or pencil.			
Checks for and replaces any leaking sections and re-tightens.			
Charges hose to proper pressure for five minutes and monitors for leaks or slippage.			
Slowly opens nozzle or control valve, bleeds off pressure, and breaks all hose connections.			
Marks defective hose(s) with tags for repair or destruction.			
Makes final check of any coupling slippage or hose(s) that may have leaked or failed.			
Places damaged or defective hose out of service.			
Completes documentation per departmental policy.			
		Pass	Fail
Overall Results (must pass ALL steps)			
Evaluator Comments			
Location:	Date:	ID Number:	
Candidate (Print):		Candidate (Sign):	
Evaluator (Print):		Evaluator (Sign):	

**Colorado Metropolitan Certification Board
Fire Fighter II
Skill Performance Evaluation**

Objectives: NFPA 1001 6.5.4 (2013 edition)		Sheet Number: PPM-6	
Primary Tasks: Maintain Power Plants, Power Tools, and Extrication Equipment			
Candidate Performance			Fail
While wearing appropriate PPE.			
<p>Given appropriate tools and manufacturer's instructions, the candidate shall maintain the following equipment so that it is clean and maintained according to manufacturer and departmental guidelines.</p> <ul style="list-style-type: none"> • Generators including lighting equipment and electric hand tools. • Chain and circular saw. • Extrication hydraulic generator including hoses, spreaders, cutters, combination spreader/cutters, and rams. 			
Places damaged or defective equipment out of service.			
Completes documentation per departmental policy.			
Checks and tops off all fluids.			
		Pass	Fail
Overall Results (must pass ALL steps)			
Evaluator Comments			
Location:	Date:	ID Number:	
Candidate (Print):		Candidate (Sign):	
Evaluator (Print):		Evaluator (Sign):	



Firefighter II Evaluation Sheets *Team Skills*


Rescue Operations

Rescue Operations - TeamROT-1-FFII

Fireground Operations

Extinguish a Liquid Fuel Fire - Team.....FGT-1-FFII

Extinguish a Gas Cylinder Fire - TeamFGT-2-FFII



**Colorado Metropolitan Certification Board
Fire Fighter II
Skill Performance Evaluation**

Objectives: NFPA1001 6.4.1 (2013 edition)	Evolution #: ROT-1-FFII	
Primary Tasks: Rescue Operations - Team		
Candidate Performance		Fail
All steps performed as a member of a 2-firefighter team.		
While wearing appropriate PPE.		
Creates safe work area for emergency personnel		
Sizes up vehicle(s), hazard(s), and patient priorities.		
Stabilizes vehicle.		
Selects proper tool(s).		
Gains access to victim(s) using appropriate tool(s) and technique(s).		
Exits hazardous area as a team.		
	Pass	Fail
JPR SKILLS RESULTS		
JPR SKILLS RESULTS (from page 2)		
OVERALL RESULTS (must pass all steps)		
Evaluator Comments		
Location:	Date:	
Candidate Agency:	ID Number:	
Candidate (Print):	Candidate (Sign):	
Evaluator 1 (Print):	Evaluator 1 (Sign):	
Evaluator 2 (Print):	Evaluator 2 (Sign):	

**Colorado Metropolitan Certification Board
Fire Fighter II
Skill Performance Evaluation**

Evolution #: ROT-1-FFII

Check appropriate justification box if failed, make comment below

Fail

SAFETY

Failed to demonstrate safe operating procedures.

EFFECTIVENESS

Failed to complete objective.

Interruption in fluidity of motion.

COMMUNICATIONS / COORDINATION

Improper communication with partner and/or failed to coordinate activities as a team.

SPECIFIC SKILLS

Individual Performance Evaluation Skill Sheets

	Description	Fail		Description	Fail
P-4	Don PPE	<input type="checkbox"/>	P-9	Apparatus Safety	<input type="checkbox"/>
RO-1 - RO-9	Rescue Operations Tools, Equipment, and Techniques	<input type="checkbox"/>	P-10	Deploy Traffic Cones	<input type="checkbox"/>

COMMENTS

Any failure must be documented in full

**Colorado Metropolitan Certification Board
Fire Fighter II
Skill Performance Evaluation**

Objectives: NFPA1001 6.3.1 (2013 edition)	Evolution #: FGT-1-FFII	
Primary Tasks: Extinguish a Liquid Fuel Fire - Team		
Candidate Performance	Pass	Fail
All steps performed as a member of a 2-firefighter team.		
While wearing full PPE and SCBA.		
Sizes up fire and determines appropriate foam type for fire conditions.		
Assembles foam equipment.		
Approaches fire from uphill/upwind area (if possible).		
Directs foam stream away from fire/spill until proper foam stream is generated.		
From a distance directs foam stream onto pool using appropriate method: <ul style="list-style-type: none"> • Rain-down • Roll-on • Bank-down 		
Completely covers fire/spill with foam blanket and ensures blanket is maintained while watching for re-ignition.		
Exits hazardous area as a team prior to air depletion.		
	Pass	Fail
JPR SKILLS RESULTS		
JPR SKILLS RESULTS (from page 2)		
OVERALL RESULTS (must pass all steps)		
Evaluator Comments		
Location:	Date:	
Candidate Agency:	ID Number:	
Candidate (Print):	Candidate (Sign):	
Evaluator 1 (Print):	Evaluator 1 (Sign):	
Evaluator 2 (Print):	Evaluator 2 (Sign):	

**Colorado Metropolitan Certification Board
Fire Fighter II
Skill Performance Evaluation**

Evolution #: FGT-1-FFII

Check appropriate justification box if failed, make comment below

Fail

SAFETY

Failed to demonstrate safe operating procedures.

EFFECTIVENESS

Failed to complete objective.

Interruption in fluidity of motion.

COMMUNICATIONS / COORDINATION

Improper communication with partner and/or failed to coordinate activities as a team.

SPECIFIC SKILLS

Individual Performance Evaluation Skill Sheets

	Description	Fail		Description	Fail
P-4	Don PPE		P-5	Don SCBA	
P-9	Apparatus Safety		H-7	Forward Lay	
FG-1	Assemble and Operate Foam Equipment				

COMMENTS

Any failure must be documented in full

**Colorado Metropolitan Certification Board
Fire Fighter II
Skill Performance Evaluation**

Objectives: NFPA1001 6.3.3 (2013 edition)	Evolution #: FGT-2-FFII	
Primary Tasks: Extinguish a Gas Cylinder Fire - Team		
Candidate Performance	Pass	Fail
All steps performed as a member of a 2-firefighter team.		
While wearing full PPE and SCBA.		
Connects pumper to water supply.		
Identifies safe haven(s).		
Stays clear of tank ends.		
Deploys attack line for advancement.		
Applies water to tank from a distance with straight or solid stream at point of flame impingement as well as vapor space at top of tank.		
Does not extinguish flame from relief valve (if present).		
If possible, closes fuel control valve to extinguish fire, ensuring tank is kept cool for reasonable time afterward.		
If unable to shut off fuel source, maintains water stream to top of tank and point of impingement until tanks burns empty, ensuring tank is kept cool for reasonable time afterward.		
Exits hazardous area as a team prior to air depletion.		
	Pass	Fail
JPR SKILLS RESULTS		
JPR SKILLS RESULTS (from page 2)		
OVERALL RESULTS (must pass all steps)		
Evaluator Comments		
Location:	Date:	
Candidate Agency:	ID Number:	
Candidate (Print):	Candidate (Sign):	
Evaluator 1 (Print):	Evaluator 1 (Sign):	
Evaluator 2 (Print):	Evaluator 2 (Sign):	

**Colorado Metropolitan Certification Board
Fire Fighter II
Skill Performance Evaluation**

Evolution #: FGT-2-FFII

Check appropriate justification box if failed, make comment below

Fail

SAFETY

Failed to demonstrate safe operating procedures.

EFFECTIVENESS

Failed to complete objective.

Interruption in fluidity of motion.

COMMUNICATIONS / COORDINATION

Improper communication with partner and/or failed to coordinate activities as a team.

SPECIFIC SKILLS

Individual Performance Evaluation Skill Sheets

	Description	Fail	Description	Fail
P-4	Don PPE		P-5	Don SCBA
P-9	Apparatus Safety		H-7	Forward Lay

COMMENTS

Any failure must be documented in full